

**BioSeq-Analysis:** a platform for DNA, RNA, and protein sequence analysis based on machine learning approaches

**Manual of stand-alone program of BioSeq-Analysis**

2019-07-27

Home-page: <http://bliulab.net/BioSeq-Analysis/>



# Contents

Contents .....	1
1. Introduction .....	2
2. Installation .....	2
3. Function description .....	4
4. Commands .....	9
5. Methods description .....	35
Table 1. 20 modes of DNA sequences. ....	36
Table 2. 14 modes of RNA sequences. ....	37
Table 3. 22 modes of protein sequences. ....	38
Table 4. The names of the 148 physicochemical indices for dinucleotides. ....	39
Table 5. The names of the 12 physicochemical indices for trinucleotides. ....	40
Table 6. The names of the 90 physicochemical indices for dinucleotides. ....	40
Table 7. The names of the 6 physicochemical indices for dinucleotides. ....	41
Table 8. The names of the 22 physicochemical indices for dinucleotides. ....	41
Table 9. The names of the 11 physicochemical indices for dinucleotides. ....	42
Table 10. The names of the 547 physicochemical indices for amino acids. ....	42
Table 11. The names of the 3 physicochemical indices for amino acids. ....	45
Table 12. The names of the 2 physicochemical indices for amino acids. ....	45
References .....	46

## 1. Introduction

The **BioSeq-Analysis** is a platform for DNA, RNA and protein sequence analysis based on machine learning approaches, which can automatically implement the main procedures for constructing a predictor based on machine learning techniques, including feature extraction, parameter optimization, model training and performance evaluation. In the feature extraction step, totally 56 modes were provided for users, of which 20 for DNA sequences, 14 for RNA sequences and 22 for protein sequences. In the predictor construction step, four machine learning algorithms are available: support vector machine (SVM) [1], random forest (RF) [2, 3], Optimized Evidence-Theoretic K-Nearest Neighbor (OET-KNN) [4], and covariance discriminant algorithm [5]. In order to handle large dataset, the stand-alone package of **BioSeq-Analysis** is given. More details will be introduced in the following parts of the manual.

## 2. Installation

The **BioSeq-Analysis** package can be run on Linux (64-bit) and Windows (64-bit) operating system. The full package and documents of **BioSeq-Analysis** are available at <http://bioinformatics.hitsz.edu.cn/BioSeq-Analysis/download>.

### For Windows

The Windows 7 or later versions are supported.

Before using **BioSeq-Analysis**, the Python software should be first installed and configured. Python 2.7 64-bit is recommended, which can be downloaded from <https://www.python.org>.

The next step is the installation and configuration of LIBSVM [6], which you can download from (Version 3.22, December 2016) <https://www.csie.ntu.edu.tw/~cjlin/libsvm/#download>

Then extract the package to BioSeq-Analysis as a folder named libsvm. After un-zip the downloaded package, make sure that the “libsvm.dll” is available in the directory “..\libsvm\windows”, and then put the file “\_\_init\_\_.pyc” and “checkdata.pyc” which is in the directory “..\supplement” into the folder“ ..\libsvm”. Next, put the “\_\_init\_\_.pyc” and “plotroc.pyc” which is in the “.. \supplement” into the directory “..\libsvm\python”.

Then, the tool gnuplot [7] is need, which you can download from (Version4.6.5): <https://sourceforge.net/projects/gnuplot/files/gnuplot/4.6.5/gp465-win32.zip/download>

After installed the gnuplot, the Python package Numpy [8], SciPy [9], and matplotlib [10] should be downloaded from here: <http://www.lfd.uci.edu/~gohlke/pythonlibs/>, or use the following command to install :

```
> pip install numpy-<version>+mkl-cp<ver-spec>-cp<ver-spec>m-<cpu-build>.whl
> pip install matplotlib-<version>-cp<ver-spec>-cp<ver-spec>m-<cpu-build>.whl
> pip install matplotlib-<version>-cp<ver-spec>-cp<ver-spec>m-<cpu-build>.whl
```

The Python package scikit-learn [11] should be downloaded and installed from:

<http://scikit-learn.org/dev/install.html>, or use the following commands if Internet is accessible:

```
> pip install scikit-learn
```

The Python package `imbalanced-learn` [12] can be installed by using this command line:

```
> pip install -U imbalanced-learn
```

The Python package `pandas` [13] can be installed by using this command line:

```
> pip install pandas
```

## For Linux

For Linux operating system, the `libsvm` should be configured as Windows firstly.

Extract the package to `BioSeq-Analysis` as a folder named `libsvm`, then put the file “`__init__.pyc`” and “`checkdata.pyc`” which is in the directory “`..\supplement`” into the folder “`..\libsvm`”. Next, put the “`__init__.pyc`” and “`plotroc.pyc`” which is in the “`..\supplement`” into the directory “`..\libsvm\python`”.

Navigate to “`~/usr/BioSeq-Analysis/libsvm`” directory, and type the command:

```
> make
```

After executing successfully, then navigate to “`~/usr/BioSeq-Analysis/libsvm/python`” directory, and type the command:

```
> make
```

If `gnuplot` has not been installed, use the following command lines to install `gnuplot`:

```
> sudo apt-get install gnuplot
```

Then, if your linux doesn't have `scikit-learn`, `numpy`, `scipy`, `matplotlib` and `pandas`, you should use the commands as follows:

```
> sudo apt-get install scikit-learn
```

```
> sudo apt-get install numpy
```

```
> sudo apt-get install scipy
```

```
> sudo apt-get install matplotlib
```

```
> sudo apt-get install pandas
```

## Not Necessary Software

The predicted secondary structure features are generated by software `PSIPRED` [14] [15], which can be downloaded from

<http://bioinfadmin.cs.ucl.ac.uk/downloads/psipred/>.

The solvent accessible surface area features is generated by `SPIDER2` [16, 17], which can be downloaded from

<http://sparks->

[lab.org/pmwiki/download/index.php?Download=yueyang/SPIDER2\\_local.tgz](http://pmwiki/download/index.php?Download=yueyang/SPIDER2_local.tgz)

The sequence conservation score features are generated by the package `rate4site` [18] [19], which can be installed by the following command:

```
> sudo apt-get install rate4site
```

Now, **BioSeq-Analysis** is ready to use.

## 3. Function description

### 3.1 Directory structure

In this modified version, we used file “\*.pyc” to replace file “\*.py”, but their function is not changed. The main directory contains several Python files and folders. “nac.pyc”, “acc.pyc”, “pse.pyc”, “sc.pyc”, “profile.pyc”, “ps.pyc” and “feature.pyc” are seven executive Python scripts used for generating feature vectors based on the input sequence files and the selected feature extraction methods. “train.pyc” and “predict.pyc” are two executive scripts used for doing the analysis. “analysis.pyc” is an executive Python script used for achieving the one-stop function. “ensemble.pyc” is used for ensemble learning based on the models generated by “train.pyc” or “analysis.pyc”.

“optimization.pyc” is used for evaluating the performance of all the predictors generated by **BioSeq-Analysis** so as to help the users to find the best predictor for a specific biological sequence analysis task. The details of their functions will be introduced in the following sections. “const.pyc” contains the constants used in the scripts. “util.pyc” provides the useful functions used in the scripts and “util\_sc.pyc” provides some specific functions used for “sc.pyc”. “rf\_method.pyc” contains the train methods of random forest. “rf\_predict.pyc” contains the predict methods of random forest. “libsvm” folder contains the LIBSVM package. The tool for drawing ROC curve is in the “gnuplot” folder. “acc\_pssm” folder contains the tools used for ACC-PSSM, AC-PSSM and CC-PSSM methods. “pdt” folder contains the tools used for PDT and PDT-Profile methods. “psiblast” folder contains the tools used for generating frequency profiles of protein sequences. “docs” folder contains the related documents of BioSeq-Analysis. In “data” folder, there are four subfolders: “example” folder contains the dataset files used in the example; “final\_results” folder is used for storing the generated model file while the “gen\_files” folder is used for storing the generated data files in the parameter selection process. The other files in the “data” folder are used for feature extraction methods. Modifications of these files are not suggested.

### 3.2 Feature extraction

#### 3.2.1 Scripts

“nac.pyc”, “acc.pyc”, “pse.pyc”, “sc.pyc”, “profile.pyc”, “ps.pyc” and “feature.pyc”.

There are seven executive Python scripts used for generating feature vectors based on the input sequence files and the selected feature extraction methods.

The “nac.pyc” is used for calculating the modes in the category nucleic acid composition or amino acid composition; the “acc.pyc” is used for calculating the modes in autocorrelation category. The “pse.pyc” is used for calculating the modes in the category pseudo nucleotide composition or pseudo amino acid composition. The “sc.pyc” is used for calculating the modes in predicted structure composition category. The “profile.pyc” is used for calculating the modes in profile-based features category. The “ps.pyc” is used for calculating the modes in predicted structure features category. The “feature.pyc” is used for calculating multiple modes in the six categories and achieving linear splicing for the feature vectors.

#### 3.2.2 Input and output

The input file for “nac.pyc”, “acc.pyc”, “pse.pyc”, “profile.pyc”, “ps.pyc” and “feature.pyc” should be in a valid FASTA format that consists of a single initial line beginning with a greater-than symbol (“>”) in the first column, followed by lines of sequence data. The words right after the “>” symbol in the single initial line are optional



The corresponding values of these sequence compositions are listed in the third line, which are separated by TAB.

For example, if you defined a physicochemical property “user\_property”, the user-defined physicochemical index file should be written as follows:

```
> user_property
A   C   ... AA AC ...
0.21  0.12   ... 0.37  0.15   ...
```

After saving this file as “user\_defined.txt” and specifying it using the command “-e user\_defined.txt”, or just “E user\_defined.txt”, the properties defined by user will be used in calculations.

### 3.3 Classifier construction

The classifier construction part includes five main scripts: “train.pyc”, “predict.pyc”, “analysis.pyc”, “ensemble.pyc” and “optimization.pyc”.

#### 3.3.1 train.pyc

##### Basic functions

The “train.pyc” is used for training predictors and evaluating their performance based on the input benchmark datasets. Both binary classification and multiclass classification are supported. There are three main processes of “train.pyc”, including parameter selection, model training and cross validation. In the parameter selection process, the parameters of machine learning algorithm, SVM or RF are optimized on the validation sets. In this process, the multiprocessing technique is employed to significantly reduce the computational cost. In the model training process, SVM or RF is employed to train the prediction models. Finally, in the cross validation process, the performance of the constructed predictors is evaluated by k-fold cross-validation, jackknife or independent dataset test which can be selected by users. For more details of these three processes, please refer to the “**Methods description**” section.

##### Input and output

The input files of “train.pyc” are at least two files of feature vectors in LIBSVM format or CSV format generated by the feature extraction methods in “nac.pyc”, “acc.pyc”, “pse.pyc”, “sc.pyc” and “feature.pyc”. For binary classification problem, two files need to be input, storing the positive samples and the negative samples, respectively. For multiclass classification, at least three files are needed. The output file is the trained SVM model or trained Random Forest model listing the parameters used in the training process and the log information, for example:

```
c,128,g,0.5,b,0,bi_or_multi,0
svm_type c_svc
kernel_type rbf
gamma 0.5
nr_class 2
total_sv 2871
rho 33.5904
label 1 -1
```

```
nr_sv 1441 1430
SV
128 1:0.00108139 2:0.00108139 3:0.00108139 .....
.....
```

### 3.3.2 predict.pyc

#### Basic functions

The “predict.pyc” predicts the unseen samples independent from the benchmark dataset based on the trained model generated by using “train.pyc”. For binary classification, the performance of the constructed predictors is evaluated by five common performance measures, and the corresponding ROC curves can also be generated. For multiclass classification, only one measure is calculated. For more information of these functions, please refer to the “**Methods description**” section.

#### Input and output

The input file of “predict.pyc” is an independent file of feature vectors in LIBSVM format or CSV format generated by feature extraction methods. If the label information of the samples is available, the performance measures of the predictors will be calculated based on the predicted labels and the input real labels, otherwise, the performance will not be evaluated. One label should be listed in each line in the label file, for example:

```
+1
+1
+1
-1
-1
-1
.....
```

The output of “predict.pyc” is a file containing the predicted labels in the same format as the input label file.

### 3.3.3 analysiss.pyc

#### Basic functions

The “analysiss.pyc” is the core executable file for the BioSeq-Analysis standalone package. Its main role is training predictors and evaluating their performance based on the input benchmark datasets, and achieving parameter optimization at the same time. Both binary classification and multiclass classification are supported. There are five main processes of “analysiss.pyc”, including parameter selection, combination of the features, model training, cross validation and prediction on the independent dataset. In process of the parameter selection, the parameters of feature extraction and machine learning are optimized on the validation sets. In this process, the multiprocessing technique is employed to significantly reduce the computational cost. In the process of combination of the features, the feature vectors will be achieved linear splicing. In the process of model training, the LIBSVM package or “rf\_method.pyc” is employed to train the prediction models. Then, in the process of cross validation, the performance of



the constructed predictors is evaluated by k-fold cross-validation, jackknife or independent dataset test which can be selected by users. Finally, in the process of prediction on the independent dataset, the unseen samples independent from the benchmark dataset will be predicted based on the trained model generated before. For binary classification, the performance of the constructed predictors is evaluated by five common performance measures, and the corresponding ROC curves can also be generated.

For multiclass classification, only one measure is calculated. For more details of these three processes, please refer to the “**Methods description**” section.

### Input and output

The input files of “analysiss.pyc” are at least two files of biological sequence in FASTA format. For binary classification problem, two files need to be input, storing the positive samples and the negative samples, respectively. For multiclass classification, at least three files are needed. The output file contains the trained SVM model or the Random Forest model listing the parameters used in the training process and the log information, for example:

```
c,128,g,0.5,b,0,bi_or_multi,0
svm_type c_svc
kernel_type rbf
gamma 0.5
nr_class 2
total_sv 2871
rho 33.5904
label 1 -1
nr_sv 1441 1430
SV
128 1:0.00108139 2:0.00108139 3:0.00108139 .....
.....
```

When there is an independent dataset, if the label information of the samples is available, the performance measures of the predictors will be calculated based on the predicted labels and the input real labels, otherwise, the performance will not be evaluated. One label should be listed in each line in the label file, for example:

```
+1
+1
+1
-1
-1
-1
.....
```

If there has independent dataset, the output of “analysiss.pyc” will have a file containing the predicted labels in the same format as the input label file.

### 3.3.4 ensemble.pyc

#### Basic functions

The “ensemble.pyc” is used for ensemble learning based on the models generated by “train.pyc” or “analysiss.pyc”. Both binary classification and multiclass classification are supported. The weight of every model can be specified by users. Default values are

1.0. The strategy of prediction is weighted voting.

### Input and output

The input file should be in tab format which can be generated by the scripts for feature extraction. The format of label file should be the same as that of “predict.pyc”. The input model files are those generated by “train.pyc” or “analysis.pyc”. For binary classification, four measures, including the accuracy (ACC), Mathew’s Correlation Coefficient (MCC), sensitivity (Sn), and specificity (Sp) are used for performance evaluation. For multiclass classification, only ACC is calculated. The values of the measures will be printed on the screen.

### 3.3.5 optimization.pyc

#### Basic functions

The “ensemble.pyc” is used for batch processing. This scrip is used for evaluating the performance of all the predictors generated by **BioSeq-Analysis** so as to help the users to find the best predictor for a specific biological sequence analysis task.

#### Input and output

The input file should be in fasta format. The parameters are similar with those in “analysiss.pyc”.

## 4. Commands

### 4.1 “nac.pyc” usage

Command line arguments for “nac.pyc”:

Required	description
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
method	The method name.
Optional	description
-h, --help	Show this help message and exit.
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-k K	The k value of kmer.
-m M	For mismatch. The max value inexact matching. ( $m < k$ ). (default = 1)
-delta	For subsequence method. The value of penalized factor. ( $0 \leq \text{delta} \leq 1$ ). (default = 1)
-r {0,1}	Whether consider the reverse complement or not. 1 means True, 0 means False. (default = 0)
-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm - - The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.

-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-ps	The input positive source file in FASTA format for IDKmer. Only for IDKmer method.
-ns	The input negative source file in FASTA format for IDKmer. Only for IDKmer method.
-max_dis	The max distance value of DR and Distance Pair. Only for DR and Distance Pair methods(default = 3).
-cp	The reduced alphabet scheme. Choose one of the four: cp_13, cp_14, cp_19, cp_20. Only for Distance Pair method.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.

---

## 4.2 “acc.pyc” usage

Command line arguments for “acc.pyc”:

Required	description
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
method	The method name.

---

Optional	description
-h, --help	Show this help message and exit.
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-lag LAG	The value of lag.
-i I	The index file user chosen.
-e E	The user-defined index file.
-all_index	Choose all physicochemical indices.
-no_all_index	Do not choose all physicochemical indices, default.
-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm -- The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.

-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-lamada	The value of lamada. Only for MAC, GAC, NMBAC methods (default=1).
-oli	Choose one kind of Oligonucleotide: 0 represents dinucleotide, default; 1 represents trinucleotide.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.

---

### 4.3 “pse.pyc” usage

Command line arguments for “pse.pyc”:

Required	description
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
method	The method name.

---

Optional	description
-h, --help	Show this help message and exit.
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-lamada	The value of lamada (default=2).
-w W	The value of weight (default=0.1).
-k K	The value of kmer, it works only with PseKNC method.
-e E	The user-defined index file, this parameter only needs to be set for PC-PseDNC-General, PC-PseTNC-General, SC-PseDNC-General, SC-PseTNC-General, PC- PseAAC-General or SC-PseAAC-General.
-all_index	Choose all physicochemical indices.
-no_all_index	Do not choose all physicochemical indices, default.
-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm -- The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.

-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.

---

#### 4.4 “sc.pyc” usage

Command line arguments for “sc.pyc”:

Required	description
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
method	The method name.

---

Optional	description
-h, --help	Show this help message and exit.
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-k K	The number of k adjacent structure statuses (default=2). It works only with PseSSC method.
-n N	The maximum distance between structure statuses (default=0). It works only with PseDPC method.
-r R	The value of lambda, represents the highest counted rank (or tier) of the structural correlation along a RNA chain (default=2).
-w W	The weight factor used to adjust the effect of the correlation factors (default=0.1).
-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm -- The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.
-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.

---

## 4.5 “profile.pyc” usage

Command line arguments for “profile.pyc”:

<b>Required</b>	<b>description</b>
inputfiles	The input files in FASTA format. More than one file could be input.
method	The method name.
<b>Optional</b>	<b>description</b>
-h, --help	Show this help message and exit.
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-n N	For Top-n-gram, PDT-Profile methods. The value of top-n-gram. The value can only be 1, 2 or 3.
-lamada	For PDT, PDT-Profile methods. The value of lamada
-max_dis	For DT methods. The max distance value of residues (default = 3).
-lag LAG	For ACC-PSSM, AC-PSSM and CC-PSSM methods. The value of lag (default = 2).
-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm -- The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.
-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-cpu CPU	The maximum number of CPU cores used for multiprocessing in generating frequency profile. Default value is 1.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.

## 4.6 “ps.pyc” usage

Command line arguments for “ps.pyc”:

<b>Required</b>	<b>description</b>
inputfiles	The input files in FASTA format. More than one file could be input.
method	The method name.
<b>Optional</b>	<b>description</b>
-h, --help	Show this help message and exit.

-out	The output files used for storing results. The number of output files should be the same as that of input files.
-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm -- The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.
-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-cpu CPU	The maximum number of CPU cores used for multiprocessing in generating frequency profile. Default value is 1.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling for the datasets. Under is under sampling for the datasets.

---

## 4.7 “feature.pyc” usage

Command line arguments for “feature.pyc”:

Required	description
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
-method	The method names. You can input several methods. The vector of each method implements linear merging. Up to 3 methods.
Optional	description
-h, --help	Show this help message and exit.
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-k K	The number of k adjacent structure statuses. (default=2). It works with PseKNC, PseSSC, Kmer, RevKmer, IDKmer, Mismatch, Subsequence methods. If there are several methods, enter the values in turn.
-m M	For Mismatch. The max value inexact matching. (m<k) (default=1). If there are several methods, enter the values in turn.
-delta	For subsequence method. The value of penalized factor. (0<=delta<=1) (default=1). If there are several methods, enter the values in turn.

- r Whether consider the reverse complement or not. 1 means True, 0 means False.  
For RevKmer methods. (default=0).  
Or the value of lambda, represents the highest counted rank (or tier) of the structural correlation along a RNA chain.  
For Triplet, PseSSC, PseDPC methods. (default=2).  
If there are several methods, enter the values in turn.
- oli Choose one kind of Oligonucleotide:  
0 represents dinucleotide, default;  
1 represents trinucleotide.  
For DAC, DCC, DACC, TAC, TCC, TACC, MAC, GAC, NMBAC, AC, CC, ACC methods. If there are several methods, enter the values in turn.
- lamada The value of lamada.  
For PseDNC, PseKNC, PC-PseDNC-General, PC-PseTNC-General, SC-PseDNC-General, SC-PseTNC-General, PC-PseAAC-General, SC-PseAAC-General, PC-PseAAC, SC-PseAAC methods (default=2).  
And For MAC, PDT, PDT-Profile, GAC, NMBAC methods (default=1).  
If there are several methods, enter the values in turn.
- w The weight factor used to adjust the effect of the correlation factors.  
For PseSSC, PseDNC, PseKNC, PC-PseDNC-General, PC-PseTNC-General, SC-PseDNC-General, SC-PseTNC-General, PC-PseAAC-General, SC-PseAAC-General, PC-PseAAC, SC-PseAAC methods (default=0.1). If there are several methods, enter the values in turn.
- i The index file user chosen. If there are several methods, enter the values in turn.
- e The user-defined index file. If there are several methods, enter the values in turn.
- cpu The maximum number of CPU cores used for multiprocessing in generating frequency profile. (default=1). For Top-n-gram, PDT-Profile, DT, AC-PSSM, CC-PSSM, ACC-PSSM, PDT methods.
- lag The value of lag. For DAC, DCC, DACC, TAC, TCC, TACC, AC, CC, ACC, ACC-PSSM, AC-PSSM and CC-PSSM methods. The value of lag (default=2).  
If there are several methods, enter the values in turn.
- n The maximum distance between structure statuses, (default=0). It works with PseDPC method.  
Or for Top-n-gram, PDT-Profile methods. The value of top-n-gram (default=2). If there are several methods, enter the values in turn.



-f {tab, svm, csv}	The output format (default = tab). tab -- Simple format, delimited by TAB. svm - - The LIBSVM training data format. csv -- The format that can be loaded into a spreadsheet program.
-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-ps	The input positive source file in FASTA format for IDKmer. Only for IDKmer method.
-ns	The input negative source file in FASTA format for IDKmer. Only for IDKmer method.
-max_dis	The max distance value of DR, DT, Distance Pair. Only for DR, DT and Distance Pair methods(default = 3). If there are several methods, enter the values in turn.
-cp	The reduced alphabet scheme. Choose one of the four: cp_13, cp_14, cp_19, cp_20. Only for Distance Pair method.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.
-bp {1, 0}	The option of batch processing. 1 is batch processing, 0 is not. Default is 0.

---

## 4.8 “train.pyc” usage

Command line arguments for “train.pyc”:

<b>required</b>	<b>description</b>
files	The input files. If the algorithm is set as SVM, the format of files should be LIBSVM format; if the algorithm is set as rf, the format of files should be csv format; if the algorithm is set as oet_knn or cda, the format of files should be tab format. For binary classification, two files needed. For multiclass classification, at least three files needed.
-m M	The name of the trained SVM model. Only for svm and rf.
<b>Optional</b>	<b>description</b>
-h, --help	Show this help message and exit.
-p {ACC,MCC,AUC}	The performance metric used for parameter selection. Default value is “ACC”.

-v V	The cross validation mode. n: (an integer larger than 0) n-fold cross validation. j: (character ‘j’) jackknife cross validation. i: (character ‘i’) independent test set method.
-i_files	The independent test dataset. If the parameter ‘-v’ is specified as ‘i’, one or more independent test dataset files should be included. Default value is 0.
-ml {svm, rf, oet_knn, cda}	The method of machine learning. svm is support vector machine; rf is random forest; oet_knn is Optimized Evidence-Theoretic KNN algorithm; cda is covariance discriminant algorithm. (default is svm)
-opt	If the algorithm is set as svm: 0: small range set c from -5 to 10, step is 2; g from -10 to 5, step is 2. 1: large range set c from -5 to 10, step is 1; g from -10 to 5, step is 1. If the algorithm is set as rf: 0: small range set number of trees from 100 to 600, step is 200. 1: large range set number of trees from 100 to 600, step is 100. If the algorithm is set as oet_knn: 0: small range set neighbors from 1 to 30, step is 2. 1: large range set neighbors from 1 to 30, step is 1. Default value is 0.
-b {0,1}	Whether to train a SVC or SVR model for probability estimates, 0 or 1. Default value is 0.
-cpu CPU	The maximum number of CPU cores used for multiprocessing during parameter selection process. Default value is 1.
-bp {1, 0}	The option of batch processing. 1 is run batch processing, 0 is not. Default is 0.

---

## 4.9 “predict.pyc” usage

Command line arguments for “predict.pyc”:

required	description
inputfiles	The input files in LIBSVM format.
-m M	The name of the trained SVM model.

---

<b>optional</b>	<b>description</b>
-h, --help	Show this help message and exit.
-labels LABELS	The real label file. Optional.
-ml {svm, rf }	The method of machine learning. rf is Random Forest. (default is svm)
-o O	The output file name listing the predicted labels. The default name is “output_labels.txt”.

## 4.10 “ensemble.pyc” usage

Command line arguments for “ensemble.pyc”:

<b>required</b>	<b>description</b>
inputfile	The input file in tab format.
-labels LABELS	The real label file.
-classif	The module files trained in train.py or analysis.py.

<b>optional</b>	<b>description</b>
-h, --help	Show this help message and exit.
-labels LABELS	The real label file. Optional.
-w	The weights of the classifiers. Default values are all 1.0.

## 4.11 “analysiss.pyc” usage

Command line arguments for “analysiss.pyc”:

<b>Required</b>	<b>description</b>
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
-model	The name of the trained model.
-method	The method names. You can input several methods. The vector of each method implements linear merging. Up to 3 methods.

<b>Optional</b>	<b>description</b>
-h, --help	Show this help message and exit.
-b{0, 1}	Whether to train a SVC or SVR model for probability estimates, 0 or 1.(default=0). For svm method.
-v	The cross validation mode. n: (an integer larger than 0) n-fold cross validation. j: (character “j”) jackknife cross validation.

- opt Set the range of parameters to be optimized.  
0: For svm, small range set c from -5 to 10, step is 2; g from -10 to 5, step is 2. For random forest, trees from 100 to 600, step is 200.  
1: large range set c from -5 to 10, step is 1; g from -10 to 5, step is 1. For random forest, trees from 100 to 600, step is 100. (default=0).
- p {ACC,MCC,AUC} The performance metric used for parameter selection. Default value is "ACC".
- i\_files The independent test dataset. If the parameter '-v' is specified as 'i', one or more independent test dataset files should be included.
- out The output files used for storing results. The number of output files should be the same as that of input files.
- k K The number of k adjacent structure statuses. (For PseKNC and Mismatch, default is from 1 to 4. For Kmer, RevKmer, IDKmer, PseSSC and Subsequence, default is from 1 to 3.). If there are several methods, enter the ranges in turn.
- m M For Mismatch. The max value inexact matching. (m<k) (default is from 1 to 4). If there are several methods, enter the ranges in turn.
- delta For subsequence method. The value of penalized factor. (0<=delta<=1) (default is from 0 to 0.8). If there are several methods, enter the ranges in turn.
- a {True, False} Choose or do not choose all physicochemical indices, default=False.
- r Whether consider the reverse complement or not. 1 means True, 0 means False.  
For Kmer method. (default=0).  
Or the value of lambda, represents the highest counted rank (or tier) of the structural correlation along a RNA chain.  
For PseSSC, PseDPC methods. (default is from 1 to 7). If there are several methods, enter the ranges in turn.
- oli Choose one kind of Oligonucleotide:  
0 represents dinucleotide, default;  
1 represents trinucleotide.  
For DAC, DCC, DACC, TAC, TCC, TACC, MAC, GAC, NMBAC, AC, CC, ACC methods.
- lamada The value of lamada.  
For PseDNC, PseKNC, PC-PseDNC-General, PC-PseTNC-General, SC-PseDNC-General, SC-PseTNC-General, PC-PseAAC-General, SC-PseAAC-General, PC-PseAAC, SC-PseAAC, MAC, PDT, PDT-Profile, GAC, NMBAC methods (default is from 1 to 7). If there are several methods, enter the ranges in turn.

-w	The weight factor used to adjust the effect of the correlation factors. For PseSSC, PseDNC, PseKNC, PC-PseDNC-General, PC-PseTNC-General, SC-PseDNC-General, SC-PseTNC-General, PC-PseAAC-General, SC-PseAAC-General, PC-PseAAC, SC-PseAAC methods (default is from 0.1 to 0.8). If there are several methods, enter the ranges in turn.
-i	The index file user chosen.
-e	The user-defined index file.
-cpu	The maximum number of CPU cores used for multiprocessing in generating frequency profile. (default=1). For Top-n-gram, PDT-Profile, DT, AC-PSSM, CC-PSSM, ACC-PSSM, PDT methods and the number of CPU cores used for multiprocessing during parameter selection process. (default=1).
-lag	The value of lag. For DAC, DCC, DACC, TAC, TCC, TACC, AC, CC, ACC, ACC-PSSM, AC-PSSM and CC-PSSM methods. The value of lag (default is from 1 to 7). If there are several methods, enter the ranges in turn.
-n	The maximum distance between structure statuses, (default is from 1 to 4). It works with PseDPC method. Or for Top-n-gram, PDT-Profile methods. The value of top-n-gram (default is from 1 to 2). If there are several methods, enter the ranges in turn.
-ml {svm, rf, oet_knn, cda}	The method of machine learning. rf is Random Forest. oet_knn is Optimized Evidence-Theoretic K-Nearest Neighbor. cda is covariance discriminant algorithm (default is svm)
-rl	The real label file. Optional.
-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'; For multiclass classification problem, the labels can be set as integers.
-ps	The input positive source file in FASTA format for IDKmer. Only for IDKmer method.
-ns	The input negative source file in FASTA format for IDKmer. Only for IDKmer method.
-max_dis	The max distance value of DR, DT, Distance Pair. Only for DR, DT and Distance Pair methods (default is from 1 to 4). If there are several methods, enter the ranges in turn.
-cp	The reduced alphabet scheme. Choose one of the four: cp_13, cp_14, cp_19, cp_20. Only for Distance Pair method.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.

-bp {1, 0}	The option of batch processing. 1 is batch processing, 0 is not. Default is 0.
------------	--

---

## 4.12 “optimization.pyc” usage

Command line arguments for “optimization.pyc”:

<b>Required</b>	<b>description</b>
inputfiles	The input files in FASTA format. More than one file could be input.
{DNA, RNA, Protein}	The sequence type.
-model	The name of the trained model.

---

<b>Optional</b>	<b>description</b>
-h, --help	Show this help message and exit.
-v	The cross validation mode. n: (an integer larger than 0) n-fold cross validation. j: (character “j”) jackknife cross validation.
-opt	Set the range of parameters to be optimized. 0: For svm, small range set c from -5 to 10, step is 2; g from -10 to 5, step is 2. For random forest, trees from 100 to 600, step is 200. 1: large range set c from -5 to 10, step is 1; g from -10 to 5, step is 1. For random forest, trees from 100 to 600, step is 100. (default=0).
-out	The output files used for storing results. The number of output files should be the same as that of input files.
-cpu	The maximum number of CPU cores used for multiprocessing in generating frequency profile. (default=1). For Top-n-gram, PDT-Profile, DT, AC-PSSM, CC-PSSM, ACC-PSSM, PDT methods and the number of CPU cores used for multiprocessing during parameter selection process. (default=1).
-ml { svm, rf, oet_knn, _cda }	The method of machine learning. rf is Random Forest. Oet_knn is Optimized Evidence-Theoretic K-Nearest Neighbor. Cda is covariance discriminant algorithm (default is svm)
-labels	The libSVM output file label. If the argument “-f” is set as “svm”, this argument is required. And the number of labels should be the same as that of the input files. For binary classification problem, the labels should be '+1' or '-1'.
-sp {over, under, none}	Balance the unbalanced data, default value is none. Over is oversampling technique. Under is under sampling technique.
-bp {1, 0}	The option of batch processing. 1 is batch processing, 0 is not. Default is 0.

---

## 4.13 Example

Four examples of using **BioSeq-Analysis** to construct machine learning predictor for solving a specific task in bioinformatics are given.

### 4.10.1 Example of DNA

Reconstructing the predictor iDHS-EL for identification DNase I hypersensitive sites by fusing three different modes of pseudo nucleotide composition based on the benchmark dataset [20] by using **BioSeq-Analysis**.

The benchmark dataset contains 280 positive samples and 737 negative samples. The benchmark dataset are available at [here](#)

In this example, the files “dna\_pos.txt” and “dna\_neg.txt” contain the positive dataset and negative dataset of the benchmark dataset, respectively. All these two files are available in the “/data/example” folder.

We can use a command to implement feature extraction and model training, while implementing optimization parameters.

```
python analysis.py ./data/example/dna_pos.txt ./data/example/dna_neg.txt DNA -
method Kmer Kmer PseDNC -ml rf -k 1 3 1 3 -lamada 1 3 -w 0.1 0.2 -r 0 1 -labels +1
-1 -model dna.model -opt 0 -v 5 -cpu 2
```

The output informations is as follows:

```
Processing...
MMethod Kmer is calculating...k is 1 trees are 100ethod Kmer is calculating...k is 1
trees are 300
```

```
The output file(s) can be found here:
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\dna_pos_csv_Kmer_k_1.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\dna_neg_csv_Kmer_k_1.txt
The output file(s) can be found here:
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\dna_pos_csv_Kmer_k_1.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\dna_neg_csv_Kmer_k_1.txt
Method Kmer is calculating...k is 1 trees are 500
Method Kmer is calculating...k is 2 trees are 100
Method Kmer is calculating...k is 2 trees are 300
Method Kmer is calculating...k is 2 trees are 500
Method Kmer is calculating...k is 3 trees are 100
The output file(s) can be found here:
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\dna_pos_csv_Kmer_k_3.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\dna_neg_csv_Kmer_k_3.txt
Method Kmer is calculating...k is 3 trees are 300
Method Kmer is calculating...k is 3 trees are 500
```

```
The output file(s) with the best params can be found here:
C:\Users\Robin\Downloads\BioSeq-
```

Analysis\data\example\dna\_pos\_csv\_Kmer\_k\_2.txt

The output file(s) with the best params can be found here:

.....  
 .....  
 .....

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-  
 Analysis\data\example\dna\_pos\_csv\_PseDNC\_lamada\_3\_w\_0.2.txt  
 C:\Users\Robin\Downloads\BioSeq-  
 Analysis\data\example\dna\_neg\_csv\_PseDNC\_lamada\_3\_w\_0.2.txt  
 Method PseDNC is calculating...lamada is 3 w is 0.20 trees are 300  
 Method PseDNC is calculating...lamada is 3 w is 0.20 trees are 500

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-  
 Analysis\data\example\dna\_pos\_csv\_PseDNC\_lamada\_1\_w\_0.2.txt

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-  
 Analysis\data\example\dna\_neg\_csv\_PseDNC\_lamada\_1\_w\_0.2.txt  
 Parameters selecting of features done!

Combine the features of given methods and train it...

Method Kmer is calculating...

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\dna\_pos\_csv.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\dna\_neg\_csv.txt  
 Method Kmer is calculating...

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\dna\_pos\_csv.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\dna\_neg\_csv.txt  
 Method PseDNC is calculating...

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\dna\_pos\_csv.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\dna\_neg\_csv.txt  
 Processing...

Parameter selection is in processing...

Trees are 100...

Trees are 300...

Trees are 500...

The time cost for parameter selection is 22.30s

Parameter selection of Random Forest completed.

The optimal parameters for the dataset is: Trees = 500

Model training is in processing...

The cross validation results are as follows:

ACC = 0.8514

MCC = 0.6084

AUC = 0.8311

Sn = 0.6607



Sp = 0.9239

The ROC curve has been saved. You can check it here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\cv\_roc.png


Model training completed.

The model has been saved. You can check it here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\dna.model

Total used time: 234.78s

The generated ROC curve is shown in **Fig. 1**.



**Fig. 1. The ROC curve of cross validation**

As shown in this example, the iDHS-EL can be easily constructed based on the benchmark dataset by using the script “analysis.py”.

#### 4.10.2 Example of RNA

Reconstructing the predictor iMcRNA-PseSSC for identification of real microRNA precursors based on the benchmark dataset [20] by using **BioSeq-Analysis**.

The benchmark dataset contains 1612 positive samples and 1612 negative samples. The benchmark dataset are available at [here](#).

In this example, the files “rna\_pos\_with\_2rd\_structure.txt” and “rna\_neg\_with\_2rd\_structure.txt” contain the positive dataset and negative dataset of the benchmark dataset, respectively. All these two files are available in the “/data/example” folder.

We can use a command to implement feature extraction and model training, while implementing optimization parameters.

```
python analysis.py ./data/example/rna_pos_with_2rd_structure.txt ./data/example/
rna_neg_with_2rd_structure.txt RNA -method PseSSC -k 1 2 -r 5 6 -w 0.4 0.6 -ml
svm -labels +1 -1 -model rna.model -opt 0 -v 5 -cpu 4
```

The output informations is as follows:

Processing...

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -5 g is -10

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.4.txt

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.4.txt

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -5 g is -7

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -5 g is -4

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -5 g is -1

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -5 g is 2

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -5 g is 5

Method PseSSC is calculating...k is 1 r is 5 w is 0.40 c is -2 g is -10

.....

.....

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.5.txt

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.5.txt

Method PseSSC is calculating...k is 1 r is 5 w is 0.50 c is -5 g is -7

Method PseSSC is calculating...k is 1 r is 5 w is 0.50 c is -5 g is -4

Method PseSSC is calculating...k is 1 r is 5 w is 0.50 c is -5 g is -1

Method PseSSC is calculating...k is 1 r is 5 w is 0.50 c is -5 g is 2

Method PseSSC is calculating...k is 1 r is 5 w is 0.50 c is -5 g is 5

Method PseSSC is calculating...k is 1 r is 5 w is 0.50 c is -2 g is -10

.....

.....

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.6.txt

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.6.txt

Method PseSSC is calculating...k is 1 r is 5 w is 0.60 c is -5 g is -7

Method PseSSC is calculating...k is 1 r is 5 w is 0.60 c is -5 g is -4

Method PseSSC is calculating...k is 1 r is 5 w is 0.60 c is -5 g is -1

Method PseSSC is calculating...k is 1 r is 5 w is 0.60 c is -5 g is 2

Method PseSSC is calculating...k is 1 r is 5 w is 0.60 c is -5 g is 5

Method PseSSC is calculating...k is 1 r is 5 w is 0.60 c is -2 g is -10

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_6\_w\_0.4.txt

C:\Users\Robin\Downloads\BioSeq-

Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_6\_w\_0.4.txt

Method PseSSC is calculating...k is 1 r is 6 w is 0.40 c is 10 g is -7

Method PseSSC is calculating...k is 1 r is 6 w is 0.40 c is 10 g is -4

Method PseSSC is calculating...k is 1 r is 6 w is 0.40 c is 10 g is -1

Method PseSSC is calculating...k is 1 r is 6 w is 0.40 c is 10 g is 2

Method PseSSC is calculating...k is 1 r is 6 w is 0.40 c is 10 g is 5

.....

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-

```

Analysis\data\example\rna_pos_with_2rd_structure_svm_PseSSC_k_1_r_6_w_0.5.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_neg_with_2rd_structure_svm_PseSSC_k_1_r_6_w_0.5.txt
Method PseSSC is calculating...k is 1 r is 6 w is 0.50 c is 10 g is -7
Method PseSSC is calculating...k is 1 r is 6 w is 0.50 c is 10 g is -4
Method PseSSC is calculating...k is 1 r is 6 w is 0.50 c is 10 g is -1
Method PseSSC is calculating...k is 1 r is 6 w is 0.50 c is 10 g is 2
Method PseSSC is calculating...k is 1 r is 6 w is 0.50 c is 10 g is 5
.....
.....

The output file(s) can be found here:
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_pos_with_2rd_structure_svm_PseSSC_k_1_r_6_w_0.6.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_neg_with_2rd_structure_svm_PseSSC_k_1_r_6_w_0.6.txt
Method PseSSC is calculating...k is 1 r is 6 w is 0.60 c is 10 g is -7
Method PseSSC is calculating...k is 1 r is 6 w is 0.60 c is 10 g is -4
Method PseSSC is calculating...k is 1 r is 6 w is 0.60 c is 10 g is -1
Method PseSSC is calculating...k is 1 r is 6 w is 0.60 c is 10 g is 2
Method PseSSC is calculating...k is 1 r is 6 w is 0.60 c is 10 g is 5
.....
.....

The output file(s) can be found here:
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_pos_with_2rd_structure_svm_PseSSC_k_2_r_5_w_0.4.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_neg_with_2rd_structure_svm_PseSSC_k_2_r_5_w_0.4.txt
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -5 g is -7
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -5 g is -4
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -5 g is -1
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -5 g is 2
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -5 g is 5
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -2 g is -10
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -2 g is -7
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -2 g is -4
Method PseSSC is calculating...k is 2 r is 5 w is 0.40 c is -2 g is -1
.....
.....

C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_pos_with_2rd_structure_svm_PseSSC_k_2_r_5_w_0.5.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_neg_with_2rd_structure_svm_PseSSC_k_2_r_5_w_0.5.txt
Method PseSSC is calculating...k is 2 r is 5 w is 0.50 c is -5 g is -7
Method PseSSC is calculating...k is 2 r is 5 w is 0.50 c is -5 g is -4
Method PseSSC is calculating...k is 2 r is 5 w is 0.50 c is -5 g is -1
Method PseSSC is calculating...k is 2 r is 5 w is 0.50 c is -5 g is 2
Method PseSSC is calculating...k is 2 r is 5 w is 0.50 c is -5 g is 5
Method PseSSC is calculating...k is 2 r is 5 w is 0.50 c is -2 g is -10
.....
.....

C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_pos_with_2rd_structure_svm_PseSSC_k_2_r_5_w_0.6.txt
C:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\rna_neg_with_2rd_structure_svm_PseSSC_k_2_r_5_w_0.6.txt

```

Method PseSSC is calculating...k is 2 r is 5 w is 0.60 c is -5 g is -7  
 Method PseSSC is calculating...k is 2 r is 5 w is 0.60 c is -5 g is -4  
 Method PseSSC is calculating...k is 2 r is 5 w is 0.60 c is -5 g is -1  
 Method PseSSC is calculating...k is 2 r is 5 w is 0.60 c is -5 g is 2  
 Method PseSSC is calculating...k is 2 r is 5 w is 0.60 c is -5 g is 5  
 Method PseSSC is calculating...k is 2 r is 5 w is 0.60 c is -2 g is -10

.....  
 .....

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_2\_r\_6\_w\_0.4.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_2\_r\_6\_w\_0.4.txt

Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -5 g is -7  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -5 g is -4  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -5 g is -1  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -5 g is 2  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -5 g is 5  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -2 g is -10  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -2 g is -7  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -2 g is -4  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.40 c is -2 g is -1

.....  
 .....

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_2\_r\_6\_w\_0.5.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_2\_r\_6\_w\_0.5.txt

Method PseSSC is calculating...k is 2 r is 6 w is 0.50 c is -5 g is -7  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.50 c is -5 g is -4  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.50 c is -5 g is -1  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.50 c is -5 g is 2  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.50 c is -5 g is 5  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.50 c is -2 g is -10

.....  
 .....

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_2\_r\_6\_w\_0.6.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_2\_r\_6\_w\_0.6.txt

Method PseSSC is calculating...k is 2 r is 6 w is 0.60 c is -5 g is -7  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.60 c is -5 g is -4  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.60 c is -5 g is -1  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.60 c is -5 g is 2  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.60 c is -5 g is 5  
 Method PseSSC is calculating...k is 2 r is 6 w is 0.60 c is -2 g is -10

.....  
 .....

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_pos\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.4.txt  
 C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\rna\_neg\_with\_2rd\_structure\_svm\_PseSSC\_k\_1\_r\_5\_w\_0.4.txt

Parameters selecting of features done!

Combine the features of given methods and train it...

Method Kmer is calculating...

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\  
rna\_pos\_with\_2rd\_structure\_svm.txt

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\  
rna\_neg\_with\_2rd\_structure\_svm.txt

Processing on the best params...

Parameter selection is in processing...

Iteration c = 10 g = -7 finished.

Iteration c = -5 g = -1 finished.

Iteration c = 4 g = -1 finished.

Iteration c = 4 g = 2 finished.

Iteration c = 4 g = -4 finished.

Iteration c = -2 g = -4 finished.

Iteration c = 7 g = -7 finished.

Iteration c = 1 g = -4 finished.

Iteration c = -5 g = -4 finished.

Iteration c = 4 g = 5 finished.

.....

.....

.....

Iteration c = -5 g = 5 finished.

Iteration c = 1 g = -1 finished.

Iteration c = -5 g = 2 finished.

Iteration c = 1 g = -10 finished.

Iteration c = 1 g = 2 finished.

Iteration c = 7 g = 5 finished.

Iteration c = 7 g = -4 finished.

Iteration c = 10 g = 2 finished.

Iteration c = 10 g = 5 finished.

Parameter selection completed.

The optimal parameters for the dataset are: C = 128 gamma = 4

Model training is in processing...

The cross validation results are as follows:

ACC = 0.8316

MCC = 0.6661

AUC = 0.9169

Sn = 0.7914

Sp = 0.8734

The ROC curve has been saved. You can check it here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\cv\_roc.png

Model training completed.


The model has been saved. You can check it here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\rna.model

Done.

Total used time: 264.29s

The generated ROC curve is shown in **Fig. 2**.



**Fig. 2. The ROC curve of cross validation**

As shown in this example, the iMcRNA-PseSSC can be easily constructed based on the benchmark dataset by using the script “analysis.py”.

#### 4.10.3 Example of protein

Reconstructing the predictor PseDNA-Pro for DNA binding protein identification based on the benchmark dataset [20], and evaluating its performance on an independent dataset [21] by using **BioSeq-Analysis**.

The benchmark dataset contains 525 positive samples and 550 negative samples. There are 93 positive samples and 93 negative samples in the independent dataset. The benchmark dataset and independent dataset are available at [benchmark dataset](#) and [independent dataset](#), respectively.

In this example, the files “protein\_pos.txt” and “protein\_neg.txt” contain the positive dataset and negative dataset of the benchmark dataset, respectively. The samples of the independent dataset and their labels are stored in the files “protein\_test.txt” and “labels.txt”, respectively. All these four files are available in the “/data/example” folder.

We can use a command to implement feature extraction and model training, while implementing optimization parameters.

```
python analysis.py ./data/example/Protein_pos.txt ./data/example/Protein_neg.txt
Protein -method PC-PseAAC -lamada 2 4 -w 0.05 0.3 -ml svm -labels +1 -1 -model
protein.model -opt 0 -v 5
```

The output informations is as follows:

```
Processing...
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -10
The output file(s) can be found here:
C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein_pos_svm_PC-
PseAAC_lamada_2_w_0.05.txt
C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein_neg_svm_PC-
PseAAC_lamada_2_w_0.05.txt
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -7
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -4
```

Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -1  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is 2  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is 5  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -10  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -7  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -4  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -1  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is 2  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is 5  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -10  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -7  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -4  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -1  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is 2  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is 5  
 .....  
 .....  
 .....

Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 4 g is 5  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 7 g is -10  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 7 g is -7  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 7 g is -4  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 7 g is -1  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 7 g is 2  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 7 g is 5  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -10  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -7  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -4  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -1  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is 2  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is 5

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_pos\_svm\_PC-PseAAC\_lamada\_3\_w\_0.05.txt

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_neg\_svm\_PC-PseAAC\_lamada\_3\_w\_0.05.txt

Parameters selecting of features done!

Combine the features of given methods and train it...

Method PC-PseAAC is calculating...

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_pos\_svm.txt

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_neg\_svm.txt

Processing on the best params...

Parameter selection is in processing...

Iteration c = 7 g = -1 finished.

Iteration c = 4 g = -10 finished.

Iteration c = 4 g = 5 finished.  
Iteration c = 4 g = -1 finished.  
Iteration c = 10 g = -1 finished.  
.....  
.....  
.....  
Iteration c = 7 g = 2 finished.  
Iteration c = -5 g = 2 finished.  
Iteration c = 4 g = -4 finished.  
Iteration c = -2 g = -4 finished.  
Iteration c = -2 g = -1 finished.  
Iteration c = 1 g = -1 finished.  
Iteration c = 4 g = -7 finished.  
Iteration c = 10 g = -4 finished.  
The time cost for parameter selection is 32.54s  
Parameter selection completed.

The optimal parameters for the dataset are: C = 16 gamma = 4

Model training is in processing...

The cross validation results are as follows:

ACC = 0.7526

MCC = 0.5049

AUC = 0.8177

Sn = 0.7429

Sp = 0.7615

The ROC curve has been saved. You can check it here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\cv\_roc.png

Model training completed.

The model has been saved. You can check it here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\protein.model


Done.

Used time: 35.35s

Total used time: 308.27s

The generated ROC curve is shown in **Fig. 3**.





**Fig .3. The ROC curve of cross validation**

As shown in this example, the PseDNA-Pro can be easily constructed based on the benchmark dataset by using the script “analysis.py”.

If we want to use an independent test set to evaluate the model, we can change this command to:

```
python analysis.py ./data/example/Protein_pos.txt ./data/example/Protein_neg.txt
Protein -method PC-PseAAC -lamada 2 4 -w 0.05 0.3 -ml svm -labels +1 -1 -model
protein.model -ind ./data/example/protein_test.txt -rl ./data/example/labels.txt -opt 0 -
v 5 -cpu 4
```

The output informations is as follows:

```
Processing...
MMethod PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -10ethod PC-
PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -7

TThe output file(s) can be found here:he output file(s) can be found here:

CC:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein_pos_svm_PC-
PseAAC_lamada_2_w_0.05.txt:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\Protein_pos_svm_PC-PseAAC_lamada_2_w_0.05.txt

CC:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein_neg_svm_PC-
PseAAC_lamada_2_w_0.05.txt:\Users\Robin\Downloads\BioSeq-
Analysis\data\example\Protein_neg_svm_PC-PseAAC_lamada_2_w_0.05.txt

Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -4
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is -1
MMethod PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is 5
ethod PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -5 g is 2
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -10
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -7
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -4
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is -1
Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is 2M
ethod PC-PseAAC is calculating...lamada is 2 w is 0.05 c is -2 g is 5
```

Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -10  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -7  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -4  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is -1  
 MMethod PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is 2ethod PC-  
 PseAAC is calculating...lamada is 2 w is 0.05 c is 1 g is 5

Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 4 g is -10  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 4 g is -7  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 4 g is -4  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 4 g is -1  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 4 g is 2  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 4 g is 5  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 7 g is -10  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 7 g is -7  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 7 g is -4  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 7 g is -1  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 7 g is 2  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 7 g is 5  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 10 g is -10  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 10 g is -7  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 10 g is -4  
 Method PC-PseAAC is calculating...lamada is 2 w is 0.05 c is 10 g is -1  
 .....  
 .....  
 .....

Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -10  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -7  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -4  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is -1  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is 2  
 Method PC-PseAAC is calculating...lamada is 4 w is 0.35 c is 10 g is 5

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_pos\_svm\_PC-  
 PseAAC\_lamada\_2\_w\_0.35.txt

The output file(s) with the best params can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_neg\_svm\_PC-  
 PseAAC\_lamada\_2\_w\_0.35.txt

Parameters selecting of features done!

Combine the features of given methods and train it...

Method PC-PseAAC is calculating...

The output file(s) can be found here:

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_pos\_svm.txt

C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\Protein\_neg\_svm.txt

Processing on the best params...

Parameter selection is in processing...

Iteration c = -5 g = -7 finished.

Iteration c = -5 g = 2 finished.

Iteration c = -2 g = -10 finished.

Iteration c = 10 g = 2 finished.

Iteration c = 4 g = 2 finished.  
Iteration c = 10 g = 5 finished.  
Iteration c = -2 g = 2 finished.  
Iteration c = -2 g = 5 finished.  
.....  
.....  
Iteration c = 4 g = -10 finished.  
Iteration c = 7 g = -1 finished.  
Iteration c = 4 g = -7 finished.  
Iteration c = 10 g = -10 finished.  
Iteration c = 7 g = 2 finished.  
The time cost for parameter selection is 20.52s  
Parameter selection completed.

The optimal parameters for the dataset are: C = 128 gamma = 4

Model training is in processing...  
The cross validation results are as follows:  
ACC = 0.7423  
MCC = 0.4851  
AUC = 0.8141  
Sn = 0.7367  
Sp = 0.7484

The ROC curve has been saved. You can check it here:  
C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\cv\_roc.png

Model training completed.  
The model has been saved. You can check it here:  
C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\protein.model

Done.  
Used time: 23.44s

Predict on the independent dataset...

Method PC-PseAAC is calculating...  
The output file(s) can be found here:  
C:\Users\Robin\Downloads\BioSeq-Analysis\data\example\protein\_test\_svm.txt  
The parameters of RBF kernel:  
c = 128 g = 4  
The performance evaluations are as follows:

ACC = 0.6828  
MCC = 0.3692  
AUC = 0.7237  
Sn = 0.7527  
Sp = 0.6129

The ROC curve has been saved. You can check it here:  
C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\predicted\_roc.png

The predicted labels have been saved. You can check it here:  
C:\Users\Robin\Downloads\BioSeq-Analysis\data\final\_results\output\_labels.txt

Done. Used time: 1.30s Total used time: 183.47s
---

## 5. Methods description

### 5.1 Feature extraction

The **BioSeq-Analysis** stand-alone package is able to generate totally 56 different modes of pseudo components for DNA, RNA, and protein sequences, including 20 modes for DNA sequences (**Table 1**), 14 modes for RNA sequences (**Table 2**), and 22 modes for protein sequences (**Table 3**). The detailed information of the 56 methods will be introduced in BioSeq-Analysis description document which can be downloaded from here: <http://bioinformatics.hitsz.edu.cn/BioSeq-Analysis/doc/>.

For many biological sequence analysis tasks, the training sets are imbalanced. As a result, a predictor trained by a skewed dataset would inevitably lead to a bias consequence [22]. The oversampling and undersampling are widely used to minimize this bias consequence. For undersampling, some samples are randomly removed from the large class to make the number of samples in different classes the same. For the oversampling, some hypothetical samples are inserted into the small classes in order to make each class with equal number of samples. In **BioSeq-Analysis**, the SMOTE algorithm [23] were employed to generate the hypothetical samples for this purpose.

### 5.2 Parameter selection

In LIBSVM there are two parameters  $c$  and  $g$  which can determine the performance of the predictor. In Random Forest there is one parameter  $t$  which can determine the performance of the predictor. In OET-KNN, there is one parameter  $k$  which can determine the performance of the predictor. Each method of the 56 methods achieved in stand-alone package has respective parameters, such as the Kmer method has parameter “k”. **BioSeq-Analysis** is able to automatically optimize these parameters based on the best performance on the validation set. Users can choose a range of the parameters for optimizing. For more information of the input format, please refer to “**Commands**” section.

To improve the efficiency of this procedure, multiprocessing technique is applied, which significantly reduces the computational cost. One of the three performance measures, including Accuracy (ACC), Mathew’s Correlation Coefficient (MCC) and Area Under roc Curve (AUC) can be used as the golden standard to optimize the parameters.

### 5.3 Predictor construction

In the model training process, this model is trained based on LIBSVM with RBF kernel, Random Forest, and two lazy learning algorithms: OET-KNN and Covariance Discriminant.

### 5.4 Cross validation

**BioSeq-Analysis** provides three types of cross validation options, including k-fold cross validation, jackknife (leave-one-out cross validation) and independent dataset test, which can be chosen by the argument “-v”. Please refer to “**Commands**” section for more details.

For binary classification, the performance of the predictor is measured by five common performance measures, including the accuracy (ACC), Mathew's Correlation Coefficient (MCC), Area Under roc Curve (AUC), sensitivity (Sn), and specificity (Sp).

Furthermore, the ROC (Receiver Operating Characteristic) [24] curve will also be generated and saved in a PNG file.

For multiclass classification, only the performance measure of ACC is calculated since the other measures are not suitable for multiclass classification.

Besides, if the parameter “-b” of libsvm is set or using the random forest, the prediction probability values will be output and save as a file, thus users can do further analysis with these data.

## 5.5 Sequence prediction

The “predict.py” is used to predict the unseen samples based on the model trained by using “train.py”. The performance of the predictors can be further evaluated on the independent datasets. If the label information of the independent dataset is not available, the performance of the predictor will not be evaluated, and only the predicted labels are given. Otherwise, this script will output the predicted labels. For binary classification, the five performance measures (ACC, MCC, AUC, Sn, and Sp) will be calculated along with the corresponding ROC curve saved as a PNG file; for multiclass classification, only the performance measure ACC will be calculated.

## 5.6 Ensemble learning

Sometimes one predictor may not achieve the expected results. By combining several different predictors, better prediction performance could be obtained. Thus, ensemble learning has been widely used. The stand-alone package of **BioSeq-Analysis** provides a script “ensemble.py” used for ensemble learning based on the predictors generated by “train.py” or “analysis.py”.

**Table 1.** 20 modes of DNA sequences.

Category	Mode	Description
Nucleic acid Composition	Kmer	Basic kmer [25]
	RevKmer	Reverse complementary kmer[26, 27]
	IDKmer	increment of diversity [28-30]
	Mismatch	The occurrences of kmers, allowing at most m mismatches [31-33]
	Subsequence	The occurrences of kmers, allowing non-contiguous matches [31, 33, 34]
Autocorrelation	DAC	Dinucleotide-based auto covariance [35, 36]
	DCC	Dinucleotide-based cross covariance [35, 36]
	DACC	Dinucleotide-based auto-cross covariance [35, 36]

	TAC	Trinucleotide-based auto covariance [35]
	TCC	Trinucleotide-based cross covariance [35]
	TACC	Trinucleotide-based auto-cross covariance [35]
	MAC	Moran autocorrelation [37, 38]
	GAC	Geary autocorrelation [38, 39]
	NMBAC	Normalized Moreau-Broto autocorrelation [38, 40]
Pseudo nucleotide composition	PseDNC	Pseudo dinucleotide composition [41]
	PseKNC	Pseudo k-tuple nucleotide composition [42, 43]
	PC-PseDNC-General	General parallel correlation pseudo dinucleotide composition [44]
	PC-PseTNC-General	General parallel correlation pseudo trinucleotide composition [44]
	SC-PseDNC-General	General series correlation pseudo dinucleotide composition [44]
	SC-PseTNC-General	General series correlation pseudo trinucleotide composition [44]

**Table 2.** 14 modes of RNA sequences.

Category	Mode	Description
Nucleic acid Composition	Kmer	Basic kmer [43]
	Mismatch	The occurrences of kmers, allowing at most m mismatches [31-33]
	Subsequence	The occurrences of kmers, allowing non-contiguous matches [31, 33, 34]
Autocorrelation	DAC	Dinucleotide-based auto covariance [35, 36, 45]
	DCC	Dinucleotide-based cross covariance [35, 36, 45]
	DACC	Dinucleotide-based auto-cross covariance [35, 36, 45]
	MAC	Moran autocorrelation [37, 38]
	GAC	Geary autocorrelation [38,

	NMBAC	39] Normalized Moreau-Broto autocorrelation [38, 40]
Pseudo nucleotide composition	PC-PseDNC- General	General parallel correlation pseudo dinucleotide composition [36, 38]
	SC-PseDNC-General	General series correlation pseudo dinucleotide composition [36, 38]
Predicted Structure composition	Triplet	Local structure-sequence triplet element [46]
	PseSSC	Pseudo-structure status composition [20]
	PseDPC	Pseudo-distance structure status pair composition [47]

**Table 3.** 22 modes of protein sequences.

Category	Mode	Description
Amino acid composition	Kmer	Basic kmer [48]
	DR	Distance-based Residue [49]
	Distance Pair	PseAAC of Distance-Pairs and Reduced Alphabet [50]
Autocorrelation	AC	Auto covariance [35, 45]
	CC	Cross covariance [35, 45]
	ACC	Auto-cross covariance [35, 45]
	PDT	Physicochemical distance transformation [51]
Pseudo amino acid composition	PC-PseAAC	Parallel correlation pseudo amino acid composition [52]
	SC-PseAAC	Series correlation pseudo amino acid composition [53]

	PC-PseAAC-General	General parallel correlation pseudo amino acid composition [52, 54]
	SC-PseAAC-General	General series correlation pseudo amino acid composition [53, 54]
Profile-based features	Top-n-gram	Select and combine the n most frequent amino acids according to their frequencies. [48]
	PDT-Pofile	Profile-based Physicochemical distance transformation [51]
	DT	Distance-based Top-n-gram [49]
	AC-PSSM	Profile-based Auto covariance [35]
	CC-PSSM	Profile-based Cross covariance [35]
	ACC-PSSM	Profile-based Auto-cross covariance [35]
	PSSM-DT	PSSM distance transformation [55]
	PSSM-RT	PSSM relation transformation [56]
Predicted structure features	CS	sequence conservation score [57]
	SS	secondary structure [58]
	SASA	solvent accessible surface area [59]

**Table 4.** The names of the 148 physicochemical indices for dinucleotides.

Base stacking	Protein induced deformability	B-DNA twist
Propeller twist	Duplex stability:(freeenergy)	Duplex tability(disruptenergy)
Protein DNA twist	Stabilising energy of Z-DNA	Aida_BA_transition
Breslauer_dS	Electron_interaction	Hartman_trans_free_energy
Lisser_BZ_transition	Polar_interaction	SantaLucia_dG
Sarai_flexibility	Stability	Stacking_energy
Sugimoto_dS	Watson-Crick_interaction	Twist
Shift	Slide	Rise
Twist stiffness	Tilt stiffness	Shift_rise
Twist_shift	Enthalpy1	Twist_twist
Shift2	Tilt3	Tilt1
Slide (DNA-protein complex)1	Tilt_shift	Twist_tilt
Roll_rise	Stacking energy	Stacking energy1
Propeller Twist	Roll11	Rise (DNA-protein complex)
Roll2	Roll3	Roll1



Slide_slide	Enthalpy	Shift_shift
Flexibility_slide	Minor Groove Distance	Rise (DNA-protein complex)1
Roll (DNA-protein complex)1	Entropy	Cytosine content
Major Groove Distance	Twist (DNA-protein complex)	Purine (AG) content
Tilt_slide	Major Groove Width	Major Groove Depth
Free energy6	Free energy7	Free energy4
Free energy3	Free energy1	Twist_roll
Flexibility_shift	Shift (DNA-protein complex)1	Thymine content
Tip	Keto (GT) content	Roll stiffness
Entropy1	Roll_slide	Slide (DNA-protein complex)
Twist2	Twist5	Twist4
Tilt (DNA-protein complex)1	Twist_slide	Minor Groove Depth
Persistence Length	Rise3	Shift stiffness
Slide3	Slide2	Slide1
Rise1	Rise stiffness	Mobility to bend towards minor groove
Dinucleotide GC Content	A-philicity	Wedge
DNA denaturation	Bending stiffness	Free energy5
Breslauer_dG	Breslauer_dH	Shift (DNA-protein complex)
Helix-Coil_transition	Ivanov_BA_transition	Slide_rise
SantaLucia_dH	SantaLucia_dS	Minor Groove Width
Sugimoto_dG	Sugimoto_dH	Twist1
Tilt	Roll	Twist7
Clash Strength	Roll_roll	Roll (DNA-protein complex)
Adenine content	Direction	Probability contacting nucleosome core
Roll_shift	Shift_slide	Shift1
Tilt4	Tilt2	Free energy8
Twist (DNA-protein complex)1	Tilt_rise	Free energy2
Stacking energy2	Stacking energy3	Rise_rise
Tilt_tilt	Roll4	Tilt_roll
Minor Groove Size	GC content	Inclination
Slide stiffness	Melting Temperature1	Twist3
Tilt (DNA-protein complex)	Guanine content	Twist6
Major Groove Size	Twist_rise	Rise2
Melting Temperature	Free energy	Mobility to bend towards major groove
Bend		

**Table 5.** The names of the 12 physicochemical indices for trinucleotides.

Bendability (DNase)	Bendability (consensus)	Trinucleotide GC Content
Consensus_roll	Consensus-Rigid	Dnase I
MW-Daltons	MW-kg	Nucleosome
Nucleosome positioning	Dnase I-Rigid	Nucleosome-Rigid

**Table 6.** The names of the 90 physicochemical indices for dinucleotides.

Base stacking	Protein induced deformability	B-DNA twist
Dinucleotide GC	A-philicity	Propeller twist

Content		
Duplex stability-free energy	Duplex stability-disrupt energy	DNA denaturation
Bending stiffness	Protein DNA twist	Stabilising energy of Z-DNA
Aida_BA transition	Breslauer_dG	Breslauer_dH
Breslauer_dS	Electron_interaction	Hartman_trans_free_energy
Helix-Coil transition	Ivanov_BA_transition	Lisser_BZ_transition
Polar_interaction	SantaLucia_dG	SantaLucia_dH
SantaLucia_dS	Sarai_flexibility	Stability
Stacking_energy	Sugimoto_dG	Sugimoto_dH
Sugimoto_dS	Watson-Crick interaction	Twist
Tilt	Roll	Shift
Slide	Rise	Stacking energy
Bend	Tip	Inclination
Major Groove Width	Major Groove Depth	Major Groove Size
Major Groove Distance	Minor Groove Width	Minor Groove Depth
Minor Groove Size	Minor Groove Distance	Persistence Length
Melting Temperature	Mobility to bend towards major groove	Mobility to bend towards minor groove
Propeller Twist	Clash Strength	Enthalpy
Free energy	Twist_twist	Tilt_tilt
Roll_roll	Twist_tilt	Twist_roll
Tilt_roll	Shift_shift	Slide_slide
Rise_rise	Shift_slide	Shift_rise
Slide_rise	Twist_shift	Twist_slide
Twist_rise	Tilt_shift	Tilt_slide
Tilt_rise	Roll_shift	Roll_slide
Roll_rise	Slide_stiffness	Shift_stiffness
Roll stiffness	Rise_stiffness	Tilt_stiffness
Twist stiffness	Wedge	Direction
Flexibility_slide	Flexibility_shift	Entropy

**Table 7.** The names of the 6 physicochemical indices for dinucleotides.

Twist	Tilt	Roll
Shift	Slide	Rise

**Table 8.** The names of the 22 physicochemical indices for dinucleotides.

Shift (RNA)	Hydrophilicity (RNA)
Hydrophilicity (RNA)	GC content
Purine (AG) content	Keto (GT) content
Adenine content	Guanine content
Cytosine content	Thymine content
Slide (RNA)	Rise (RNA)
Tilt (RNA)	Roll (RNA)
Twist (RNA)	Stacking energy (RNA)
Enthalpy (RNA)	Entropy (RNA)
Free energy (RNA)	Free energy (RNA)
Enthalpy (RNA)	Entropy (RNA)

**Table 9.** The names of the 11 physicochemical indices for dinucleotides.

Shift	Slide	Rise
Tilt	Roll	Twist
Stacking energy	Enthalpy	Entropy
Free energy	Hydrophilicity	

**Table 10.** The names of the 547 physicochemical indices for amino acids.

Hydrophobicity	Hydrophilicity	Mass
ARGP820102	ARGP820103	BEGF750101
BHAR880101	BIGC670101	BIOV880101
BROC820102	BULH740101	BULH740102
BUNA790103	BURA740101	BURA740102
CHAM820102	CHAM830101	CHAM830102
CHAM830105	CHAM830106	CHAM830107
CHOC760101	CHOC760102	CHOC760103
CHOP780201	CHOP780202	CHOP780203
CHOP780206	CHOP780207	CHOP780208
CHOP780211	CHOP780212	CHOP780213
CHOP780216	CIDH920101	CIDH920102
CIDH920105	COHE430101	CRAJ730101
DAWD720101	DAYM780101	DAYM780201
EISD840101	EISD860101	EISD860102
FASG760102	FASG760103	FASG760104
FAUJ880101	FAUJ880102	FAUJ880103
FAUJ880106	FAUJ880107	FAUJ880108
FAUJ880111	FAUJ880112	FAUJ880113
FINA910102	FINA910103	FINA910104
GEIM800102	GEIM800103	GEIM800104
GEIM800107	GEIM800108	GEIM800109
GOLD730101	GOLD730102	GRAR740101
GUYH850101	HOPA770101	HOPT810101
HUTJ700103	ISOY800101	ISOY800102
ISOY800105	ISOY800106	ISOY800107
JANJ780102	JANJ780103	JANJ790101
JOND750102	JOND920101	JOND920102
KANM800101	KANM800102	KANM800103
KARP850102	KARP850103	KHAG800101
KRIW790101	KRIW790102	KRIW790103
LEVM760101	LEVM760102	LEVM760103
LEVM760106	LEVM760107	LEVM780101
LEVM780104	LEVM780105	LEVM780106
LIFS790102	LIFS790103	MANP780101
MAXF760103	MAXF760104	MAXF760105
MEEJ800101	MEEJ800102	MEEJ810101
MEIH800102	MEIH800103	MIYS850101
NAGK730103	NAKH900101	NAKH900102
NAKH900105	NAKH900106	NAKH900107
NAKH900110	NAKH900111	NAKH900112
NAKH920102	NAKH920103	NAKH920104
NAKH920107	NAKH920108	NISK800101

OOBM770101	OOBM770102	OOBM770103
OOBM850101	OOBM850102	OOBM850103
PALJ810101	PALJ810102	PALJ810103
PALJ810106	PALJ810107	PALJ810108
PALJ810111	PALJ810112	PALJ810113
PALJ810116	PARJ860101	PLIV810101
PONP800103	PONP800104	PONP800105
PONP800108	PRAM820101	PRAM820102
PRAM900102	PRAM900103	PRAM900104
QIAN880101	QIAN880102	QIAN880103
QIAN880106	QIAN880107	QIAN880108
QIAN880111	QIAN880112	QIAN880113
QIAN880116	QIAN880117	QIAN880118
QIAN880121	QIAN880122	QIAN880123
QIAN880126	QIAN880127	QIAN880128
QIAN880131	QIAN880132	QIAN880133
QIAN880136	QIAN880137	QIAN880138
RACS770102	RACS770103	RACS820101
RACS820104	RACS820105	RACS820106
RACS820109	RACS820110	RACS820111
RACS820114	RADA880101	RADA880102
RADA880105	RADA880106	RADA880107
RICJ880102	RICJ880103	RICJ880104
RICJ880107	RICJ880108	RICJ880109
RICJ880112	RICJ880113	RICJ880114
RICJ880117	ROBB760101	ROBB760102
ROBB760105	ROBB760106	ROBB760107
ROBB760110	ROBB760111	ROBB760112
ROSG850101	ROSG850102	ROSM880101
SIMZ760101	SNEP660101	SNEP660102
SUEM840101	SUEM840102	SWER830101
TANS770103	TANS770104	TANS770105
TANS770108	TANS770109	TANS770110
VASM830103	VELV850101	VENT840101
WEBA780101	WERD780101	WERD780102
WOEC730101	WOLR810101	WOLS870101
YUTK870101	YUTK870102	YUTK870103
ZIMJ680101	ZIMJ680102	ZIMJ680103
AURR980101	AURR980102	AURR980103
AURR980106	AURR980107	AURR980108
AURR980111	AURR980112	AURR980113
AURR980116	AURR980117	AURR980118
ONEK900101	ONEK900102	VINM940101
VINM940104	MUNV940101	MUNV940102
MUNV940105	WIMW960101	KIMC930101
PARS000101	PARS000102	KUMS000101
KUMS000104	TAKK010101	FODM020101
NADH010103	NADH010104	NADH010105
MONM990201	KOEP990101	KOEP990102
CEDJ970103	CEDJ970104	CEDJ970105
FUKS010103	FUKS010104	FUKS010105
FUKS010108	FUKS010109	FUKS010110
AVBF000101	AVBF000102	AVBF000103

AVBF000106	AVBF000107	AVBF000108
MITS020101	TSAJ990101	TSAJ990102
WILM950101	WILM950102	WILM950103
GUOD860101	JURD980101	BASU050101
SUYM030101	PUNT030101	PUNT030102
GEOR030103	GEOR030104	GEOR030105
GEOR030108	GEOR030109	ZHOH040101
BAEK050101	HARY940101	PONJ960101
OLSK800101	KIDA850101	GUYH850102
GUYH850105	ROSM880104	ROSM880105
BLAS910101	CASG920101	CORJ870101
CORJ870104	CORJ870105	CORJ870106
MIYS990101	MIYS990102	MIYS990103
ENGD860101	FASG890101	TANS770101
ANDN920101	ARGP820101	TANS770106
BEGF750102	BEGF750103	VASM830101
BIOV880102	BROC820101	VHEG790101
BUNA790101	BUNA790102	WERD780103
CHAM810101	CHAM820101	WOLS870102
CHAM830103	CHAM830104	YUTK870104
CHAM830108	CHOC750101	ZIMJ680104
CHOC760104	CHOP780101	AURR980104
CHOP780204	CHOP780205	AURR980109
CHOP780209	CHOP780210	AURR980114
CHOP780214	CHOP780215	AURR980119
CIDH920103	CIDH920104	VINM940102
CRAJ730102	CRAJ730103	MUNV940103
DESM900101	DESM900102	MONM990101
EISD860103	FASG760101	KUMS000102
FASG760105	FAUJ830101	NADH010101
FAUJ880104	FAUJ880105	NADH010106
FAUJ880109	FAUJ880110	CEDJ970101
FINA770101	FINA910101	FUKS010101
GARJ730101	GEIM800101	FUKS010106
GEIM800105	GEIM800106	FUKS010111
GEIM800110	GEIM800111	AVBF000104
GRAR740102	GRAR740103	AVBF000109
HUTJ700101	HUTJ700102	COSI940101
ISOY800103	ISOY800104	WILM950104
ISOY800108	JANJ780101	BASU050102
JANJ790102	JOND750101	GEOR030101
JUKT750101	JUNJ780101	GEOR030106
KANM800104	KARP850101	ZHOH040102
KLEP840101	KRIW710101	DIGM050101
KYTJ820101	LAWE840101	GUYH850103
LEVM760104	LEVM760105	JACR890101
LEVM780102	LEVM780103	CORJ870102
LEWP710101	LIFS790101	CORJ870107
MAXF760101	MAXF760102	MIYS990104
MAXF760106	MCMT640101	TANS770102
MEEJ810102	MEIH800101	TANS770107
NAGK730101	NAGK730102	VASM830102
NAKH900103	NAKH900104	WARP780101

NAKH900108	NAKH900109	WERD780104
NAKH900113	NAKH920101	WOLS870103
NAKH920105	NAKH920106	ZASB820101
NISK860101	NOZY710101	ZIMJ680105
OOBM770104	OOBM770105	AURR980105
OOBM850104	OOBM850105	AURR980110
PALJ810104	PALJ810105	AURR980115
PALJ810109	PALJ810110	AURR980120
PALJ810114	PALJ810115	VINM940103
PONP800101	PONP800102	MUNV940104
PONP800106	PONP800107	BLAM930101
PRAM820103	PRAM900101	KUMS000103
PTIO830101	PTIO830102	NADH010102
QIAN880104	QIAN880105	NADH010107
QIAN880109	QIAN880110	CEDJ970102
QIAN880114	QIAN880115	FUKS010102
QIAN880119	QIAN880120	FUKS010107
QIAN880124	QIAN880125	FUKS010112
QIAN880129	QIAN880130	AVBF000105
QIAN880134	QIAN880135	YANJ020101
QIAN880139	RACS770101	PONP930101
RACS820102	RACS820103	KUHL950101
RACS820107	RACS820108	BASU050103
RACS820112	RACS820113	GEOR030102
RADA880103	RADA880104	GEOR030107
RADA880108	RICJ880101	ZHOH040103
RICJ880105	RICJ880106	WOLR790101
RICJ880110	RICJ880111	GUYH850104
RICJ880115	RICJ880116	COWR900101
ROBB760103	ROBB760104	CORJ870103
ROBB760108	ROBB760109	CORJ870108
ROBB760113	ROBB790101	MIYS990105
ROSM880102	ROSM880103	SNEP660104
SNEP660103		

**Table 11.** The names of the 3 physicochemical indices for amino acids.

Hydrophobicity	hydrophilicity	mass
----------------	----------------	------

**Table 12.** The names of the 2 physicochemical indices for amino acids.

Hydrophobicity	hydrophilicity
----------------	----------------

## References

1. Cortes C, Vapnik V. Support-vector networks, *Machine learning* 1995;20:273-297.
2. Ho TK. Random decision forests. In: *Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on.* 1995, p. 278-282. IEEE.
3. Ho TK. The random subspace method for constructing decision forests, *IEEE transactions on pattern analysis and machine intelligence* 1998;20:832-844.
4. Chou KC, Shen HB. Predicting eukaryotic protein subcellular location by fusing optimized evidence-theoretic K-nearest neighbor classifiers, *J. Proteome Res* 2006;5:1888–1897.
5. Jia J, Zhang L, Liu Z et al. pSumo-CD: predicting sumoylation sites in proteins with covariance discriminant algorithm by incorporating sequence-coupled effects into general PseAAC., *Bioinformatics* 2016;32:3133-3141.
6. Chang CC, Lin CJ. LIBSVM: A Library for Support Vector Machines, *Acm Transactions on Intelligent Systems and Technology* 2011;2:1-27.
7. Williams T, Kelley C. Gnuplot: an interactive plotting program, *Mourrain Ufk* 2006.
8. Van Der Walt S, Colbert SC, Varoquaux G. The NumPy array: a structure for efficient numerical computation, *Computing in Science & Engineering* 2011;13:22-30.
9. Jones E, Oliphant T, Peterson P. {SciPy}: open source scientific tools for {Python} 2014.
10. Hunter JD. Matplotlib: A 2D graphics environment, *Computing In Science & Engineering* 2007;9:90-95.
11. Pedregosa F, Varoquaux G, Gramfort A et al. Scikit-learn: Machine learning in Python, *Journal of Machine Learning Research* 2011;12:2825-2830.
12. Lemaitre G, Nogueira F, Aridas CK. Imbalanced-learn: A Python Toolbox to Tackle the Curse of Imbalanced Datasets in Machine Learning 2017.
13. McKinney W. pandas: a Foundational Python Library for Data Analysis and Statistics, *Dlr De* 2011.
14. Jones DT. Protein secondary structure prediction based on position-specific scoring matrices, *Journal of Molecular Biology* 1999;292:195-202.
15. Cuff JA, Barton GJ. Application of multiple sequence alignment profiles to improve protein secondary structure prediction, *Proteins-structure Function & Bioinformatics* 2000;40:502-511.
16. Heffernan R, Paliwal K, Lyons J et al. Improving prediction of secondary structure, local backbone angles, and solvent accessible surface area of proteins by iterative deep learning, *Scientific reports* 2015;5:11476.
17. Yang Y, Heffernan R, Paliwal K et al. SPIDER2: A Package to Predict Secondary Structure, Accessible Surface Area, and Main-Chain Torsional Angles by Deep Neural Networks 2017.
18. Pupko T, Bell RE, Mayrose I et al. Rate4Site: an algorithmic tool for the identification of functional regions in proteins by surface mapping of evolutionary determinants within their homologues, *Bioinformatics* 2002;18 Suppl 1:S71.
19. Glaser F, Rosenberg YA, Pupko T et al. The ConSurf-HSSP database: the mapping of evolutionary conservation among homologs onto PDB structures, *Proteins-structure Function & Bioinformatics* 2005;58:610.
20. Liu B, Fang L, Liu F et al. Identification of real microRNA precursors with a pseudo structure status composition approach, *PLoS ONE* 2015;10:e0121501.
21. Lou W, Wang X, Chen F et al. Sequence based prediction of DNA-binding proteins based on hybrid feature selection using random forest and Gaussian naive Bayes, *PLoS one* 2014;9:e86703.
22. Chen J, Liu H, Yang J et al. Prediction of linear B-cell epitopes using amino acid pair antigenicity scale, *Amino acids* 2007;33:423-428.
23. Lemaitre G, Nogueira F, Aridas CK. Imbalanced-learn: A python toolbox to tackle the curse of imbalanced datasets in machine learning, *Journal of Machine Learning Research* 2017;18:1-5.
24. Fawcett T. An introduction to ROC analysis, *Pattern recognition letters* 2006;27:861-874.
25. Lee D, Karchin R, Beer MA. Discriminative prediction of mammalian enhancers from DNA sequence, *Genome Res* 2011;21:2167-2180.
26. Gupta S, Dennis J, Thurman RE et al. Predicting human nucleosome occupancy from primary sequence, *PLoS Comput Biol* 2008;4:e1000134.
27. Noble WS, Kuehn S, Thurman R et al. Predicting the in vivo signature of human gene regulatory sequences, *Bioinformatics* 2005;21 Suppl 1:i338-343.
28. Chen W, Luo L, Zhang L. The organization of nucleosomes around splice sites, *Nucleic acids research* 2010;38:2788-2798.
29. Liu G, Liu J, Cui X et al. Sequence-dependent prediction of recombination hotspots in *Saccharomyces cerevisiae*, *Journal of theoretical biology* 2012;293:49-54.
30. Liu B, Liu F, Fang L et al. repDNA: a Python package to generate various modes of feature vectors for DNA sequences by incorporating user-defined physicochemical properties and sequence-order effects, *Bioinformatics* 2015;31:1307-1309.
31. El-Manzalawy Y, Dobbs D, Honavar V. Predicting flexible length linear B-cell epitopes, *Computational Systems Bioinformatics* 2008;7:121-132.
32. Leslie CS, Eskin E, Cohen A et al. Mismatch string kernels for discriminative protein classification,

- Bioinformatics 2004;20:467-476.
33. Luo L, Li D, Zhang W et al. Accurate prediction of transposon-derived piRNAs by integrating various sequential and physicochemical features, PLoS ONE 2016;11:e0153268.
  34. Lodhi H, Saunders C, Shawe-Taylor J et al. Text classification using string kernels, Journal of Machine Learning Research 2002;2:419-444.
  35. Dong Q, Zhou S, Guan J. A new taxonomy-based protein fold recognition approach based on autocross-covariance transformation, Bioinformatics 2009;25:2655-2662.
  36. Friedel M, Nikolajewa S, Sühnel J et al. DiProDB: a database for dinucleotide properties, Nucleic acids research 2009;37:D37-D40.
  37. Horne DS. Prediction of protein helix content from an autocorrelation analysis of sequence hydrophobicities, Biopolymers 1988;27:451-477.
  38. Chen W, Zhang X, Brooker J et al. PseKNC-General: a cross-platform package for generating various modes of pseudo nucleotide compositions, Bioinformatics 2015b;31:119-120.
  39. Sokal RR, Thomson BA. Population structure inferred by local spatial autocorrelation: an example from an Amerindian tribal population, American journal of physical anthropology 2006;129:121-131.
  40. Feng Z-P, Zhang C-T. Prediction of membrane protein types based on the hydrophobic index of amino acids, Journal of protein chemistry 2000;19:269-275.
  41. Chen W, Feng PM, Lin H et al. iRSpot-PseDNC: identify recombination spots with pseudo dinucleotide composition, Nucleic Acids Res 2013;41:e68.
  42. Guo S-H, Deng E-Z, Xu L-Q et al. iNuc-PseKNC: a sequence-based predictor for predicting nucleosome positioning in genomes with pseudo k-tuple nucleotide composition, Bioinformatics 2014:btu083.
  43. Lin H, Deng E-Z, Ding H et al. iPro54-PseKNC: a sequence-based predictor for identifying sigma-54 promoters in prokaryote with pseudo k-tuple nucleotide composition, Nucleic acids research 2014;42:12961-12972.
  44. Liu B, Zhang D, Xu R et al. Combining evolutionary information extracted from frequency profiles with sequence-based kernels for protein remote homology detection, Bioinformatics 2014;30:472-479.
  45. Guo Y, Yu L, Wen Z et al. Using support vector machine combined with auto covariance to predict protein-protein interactions from protein sequences, Nucleic acids research 2008;36:3025-3030.
  46. Xue C, Li F, He T et al. Classification of real and pseudo microRNA precursors using local structure-sequence features and support vector machine, BMC bioinformatics 2005;6:1.
  47. Liu B, Fang L, Liu F et al. iMiRNA-PseDPC: microRNA precursor identification with a pseudo distance-pair composition approach, Journal of Biomolecular Structure and Dynamics 2016;34:223-235.
  48. Liu B, Wang X, Lin L et al. A discriminative method for protein remote homology detection and fold recognition combining Top-n-grams and latent semantic analysis, BMC bioinformatics 2008;9:1.
  49. Liu B, Zhang D, Xu R et al. Combining evolutionary information extracted from frequency profiles with sequence-based kernels for protein remote homology detection, Bioinformatics 2014;30:472-479.
  50. Liu B, Xu J, Lan X et al. iDNA-Prot|dis: identifying DNA-binding proteins by incorporating amino acid distance-pairs and reduced alphabet profile into the general pseudo amino acid composition, PLoS ONE 2014;9:e106691.
  51. Liu B, Wang X, Chen Q et al. Using amino acid physicochemical distance transformation for fast protein remote homology detection, PLoS One 2012;7:e46633.
  52. Chou KC. Prediction of protein cellular attributes using pseudo-amino acid composition, Proteins: Structure, Function, and Bioinformatics 2001;43:246-255.
  53. Chou K-C. Using amphiphilic pseudo amino acid composition to predict enzyme subfamily classes, Bioinformatics 2005;21:10-19.
  54. Kawashima S, Pokarowski P, Pokarowska M et al. AAindex: amino acid index database, progress report 2008, Nucleic acids research 2008;36:D202-D205.
  55. Xu R, Zhou J, Wang H et al. Identifying DNA-binding proteins by combining support vector machine and PSSM distance transformation, BMC Systems Biology 2015;9:S10.
  56. Zhou J, Lu Q, Xu R et al. EL\_PSSM-RT: DNA-binding residue prediction by integrating ensemble learning with PSSM Relation Transformation, BMC bioinformatics 2017;18:379.
  57. Glaser F, Rosenberg Y, Kessel A et al. The ConSurf-HSSP Database: The Mapping of Evolutionary Conservation Among Homologs Onto PDB Structures, Proteins: Structure, Function, and Bioinformatics 2005;58:610-617.
  58. Cuff JA, Barton GJ. Application of Multiple Sequence Alignment Profiles to Improve Protein Secondary Structure Prediction, Proteins: Structure, Function, and Bioinformatics 2000;40:502-511.
  59. Heffernan R, Paliwal K, Lyons J et al. Improving prediction of secondary structure, local backbone angles, and solvent accessible surface area of proteins by iterative deep learning, Scientific reports 2015;5:11476.